

Arthur Elementary			
Kit #	Room ID	Year Tested	Results in pCi/L
10004083	301	11/20/2020	3.5
10004084	302	11/20/2020	1.6
10004085	305	11/20/2020	1.5
10004086	306	11/20/2020	2
10004087	307	11/20/2020	1.2
10004088	308	11/20/2020	1.4
10004089	312	11/20/2020	2.3
10004090	100 CAFÉ E	11/20/2020	0.6
10004091	100 CAFÉ W	11/20/2020	<0.3
10004092	102	11/20/2020	<0.3
10004093	103	11/20/2020	0.8
10004094	104	11/20/2020	0.9
10004095	105	11/20/2020	0.9
10004096	106	11/20/2020	0.7
10004097	107	11/20/2020	1.2
10004098	109 MAIN OFFICE	11/20/2020	2
10004099	110 CLINIC	11/20/2020	1.5
10004100	111	11/20/2020	1.3
10004101	112	11/20/2020	2
10004102	113 PRINCIPAL	11/20/2020	1.3
10004103	116	11/20/2020	1
10004104	117	11/20/2020	2.4
10004105	118 IMC E	11/20/2020	1.1
10004106	118 IMC W	11/20/2020	1
10004107	211	11/20/2020	1.5
10004108	206	11/20/2020	0.8
10004109	BLANK	11/20/2020	<0.3
10004110	BLANK	11/20/2020	<0.3
10004111	GYMNASIUM N	11/20/2020	KIT MISSING AT PICKUP
10004112	GYMNASIUM S	11/20/2020	KIT MISSING AT PICKUP
Cleveland Elementary			
Kit #	Room ID	Year Tested	Results in pCi/L
7991001	5	02/01/2018	2.1
7991002	6	02/01/2018	0.5
7991003	Cafeteria 1	02/01/2018	1.3
7991004	Cafeteria 2	02/01/2018	1.5
7991005	11	02/01/2018	0.9
7991006	Engineer Office	02/01/2018	1

7991007	101	02/01/2018	<0.3
7991008	102	02/01/2018	2.8
7991009	103	02/01/2018	2.4
7991010	104 IMC	02/01/2018	<0.3
7991011	104 IMC	02/01/2018	0.7
7991012	105	02/01/2018	0.5
7991013	106	02/01/2018	0.7
7991014	107	02/01/2018	0.8
7991015	108	02/01/2018	<0.3
7991016	109	02/01/2018	1.1
7991017	120	02/01/2018	1.8
7991018	119	02/01/2018	1.8
7991019	113 Gym	02/01/2018	1.1
7991020	113 Gym	02/01/2018	1.3
7991021	118	02/01/2018	<0.3
7991022	117	02/01/2018	<0.3
7991023	116	02/01/2018	<0.3
7991024	115	02/01/2018	<0.3
7991025	Main Office	02/01/2018	2.9
7991026	Principal Office	02/01/2018	3.7
7991027	Nurse Office	02/01/2018	3.4
7991028	206	02/01/2018	<0.3
7991029	202	02/01/2018	<0.3
7991030	Blank	02/01/2018	<0.3
7991031	Blank	02/01/2018	<0.3

Coolidge Elementary			
Kit #	Room ID	Year Tested	Results in pCi/L
9160978	Cafeteria	1/16/2019	1.4
9160979	Cafeteria	1/16/2019	1.9
9160980	Engineer Office	1/16/2019	1.7
9160981	220 Main Office	1/16/2019	2.2
9160982	Principal Office	1/16/2019	2.4
9160983	Clinic	1/16/2019	2
9160984	219 Counselor	1/16/2019	1.6
9160985	223 Office	1/16/2019	2.2
9160986	202	1/16/2019	2.3
9160987	Work room	1/16/2019	2.2
9160988	215	1/16/2019	2.1
9160989	203	1/16/2019	1.8
9160990	204	1/16/2019	2.2

9160991	214	1/16/2019	1.9
9160992	208	1/16/2019	1.9
9160993	209	1/16/2019	1.8
9160994	213	1/16/2019	2.4
9160995	212	1/16/2019	1.8
9160996	211	1/16/2019	2.4
9160997	210	1/16/2019	2.1
9160998	205	1/16/2019	2.1
9160999	206	1/16/2019	2
9161000	207 IMC	1/16/2019	2.3
9161001	207 IMC	1/16/2019	2
9161002	IMC Office	1/16/2019	1.6
9161004	Gym	1/16/2019	2.4
9161005	Gym	1/16/2019	1.7
9161006	Gym Office	1/16/2019	1.8
916007	315	1/16/2019	1.7
916008	300A	1/16/2019	2.2
916009	300C	1/16/2019	2
916010	314	1/16/2019	1.6
916011	312	1/16/2019	2.1
916012	311	1/16/2019	1.5
916013	310	1/16/2019	1.6
916014	309	1/16/2019	2.2
916015	308	1/16/2019	1.8/
916016	302	1/16/2019	1.5
916017	303	1/16/2019	1.5
916018	307	1/16/2019	1.4
916019	306	1/16/2019	1.9
916020	305	1/16/2019	1.8
916021	304	1/16/2019	1.5
9161089	Blank	1/16/2019	<0.3

Erskine Elementary			
Kit #	Room ID	Date Tested	Results in pCi/L
7289372	COMPUTER LAB OFFICE	11/18/2020	0.8
7289373	111	11/18/2020	0.8
7289374	112	11/18/2020	0.8
7289375	113	11/18/2020	<0.3
7289376	114	11/18/2020	0.6
7289377	115	11/18/2020	<0.3
7289378	116	11/18/2020	<0.3

7239379	117	11/18/2020	0.6
7239380	118	11/18/2020	<0.3
7239381	119	11/18/2020	<0.3
7239382	GYMNASIUM E	11/18/2020	0.8
7239383	GYMNASIUM W	11/18/2020	1.2
7239384	GYM OFFICE	11/18/2020	2.4
7239385	MAIN OFFICE	11/18/2020	0.6
7239386	CLINIC	11/18/2020	0.9
7239387	PRINCIPAL OFFICE	11/18/2020	0.7
7239388	COUNSELOR OFFICE	11/18/2020	1
7239389	NURSE OFFICE 130	11/18/2020	1.4
7239390	BLANK	11/18/2020	<0.3
7239391	BLANK	11/18/2020	<0.3
9408383	TEACHER LOUNGE 1	11/18/2020	1.1
9408384	ENGINEER OFFICE 5	11/18/2020	0.5
9408385	STAGE 7	11/18/2020	1
9408386	CAFÉ N	11/18/2020	<0.3
9408387	CAFÉ S	11/18/2020	0.8
9408388	KITCHEN OFFICE	11/18/2020	0.7
9408389	100	11/18/2020	0.9
9408390	101	11/18/2020	<0.3
9408391	102	11/18/2020	<0.3
9408392	103	11/18/2020	<0.3
9408393	104	11/18/2020	<0.3
9408394	105	11/18/2020	0.5
9408395	106	11/18/2020	<0.3
9408396	107	11/18/2020	<0.3
9408397	108	11/18/2020	<0.3

Franklin Middle School			
Kit #	Room ID	Date Tested	Results in pCi/L
10004054	ENGINEER OFFICE	11/20/2020	2.1
10004055	COACH OFFICE	11/20/2020	3.4
10004056	116	11/20/2020	0.6
10004057	120	11/20/2020	0.8
10004058	122	11/20/2020	0.7
10004059	GYMNASIUM E	11/20/2020	1.4
10004060	GYMNASIUM W	11/20/2020	1.2
10004061	206	11/20/2020	0.5
10004062	208	11/20/2020	KIT DAMAGED AT LAB
10004063	210	11/20/2020	0.6

10004064	230	11/20/2020	<0.3
10004065	234	11/20/2020	<0.3
10004066	238W	11/20/2020	0.5
10004067	238E	11/20/2020	<0.3
10004068	CAFÉ N	11/20/2020	<0.3
10004069	CAFÉ S	11/20/2020	<0.3
10004070	AUDITORIUM	11/20/2020	0.8
10004071	STAGE GYM N	11/20/2020	<0.3
10004072	STAGE GYM S	11/20/2020	0.8
10004073	308	11/20/2020	0.5
10004074	324	11/20/2020	<0.3
10004075	340	11/20/2020	0.7
10004076	MAIN OFFICE	11/20/2020	0.7
10004077	CLINIC	11/20/2020	0.6
10004078	404	11/20/2020	KIT DAMAGED AAT PICKUP
10004079	412	11/20/2020	<0.3
10004080	434	11/20/2020	<0.3
10004081	BLANK	11/20/2020	<0.3
10004082	BLANK	11/20/2020	<0.3

Garfield Elementary			
Kit #	Room ID	Date Tested	Results in pCi/L
7991085	COACH'S CORNER	1/11/2019	< 0.3
7991086	105	1/11/2019	0.8
7991087	106	1/11/2019	3.1
7991088	107	1/11/2019	1.4
7991089	108	1/11/2019	1
7991090	104	1/11/2019	< 0.3
7991091	102	1/11/2019	< 0.3
7991092	CAFETERIA	1/11/2019	1.1
7991093	CAFETERIA	1/11/2019	0.8
7991094	KITCHEN OFFICE	1/11/2019	2.4
7991095	1	1/11/2019	< 0.3
7991096	2	1/11/2019	< 0.3
7991097	3	1/11/2019	0.7
7991098	4	1/11/2019	< 0.3
7991099	5	1/11/2019	0.6
7991100	6	1/11/2019	< 0.3
9160801	7	1/11/2019	< 0.3
9160802	MAIN OFFICE	1/11/2019	1.5
9160803	PRINCIPAL OFFICE	1/11/2019	0.6

9160804	CLINIC - NURSE OFFICE	1/11/2019	1.1
9160805	109	1/11/2019	0.8
9160806	110	1/11/2019	2
9160807	111	1/11/2019	2.6
9160808	112	1/11/2019	0.8
9160809	201	1/11/2019	1.5
9160914	LCPH - BLANK	1/11/2019	< 0.3

Grant Elementary			
Kit #	Room ID	Date Tested	Results in pCi/L
7289424	94 GYMNASIUM E	11/18/2020	1.4
7289425	94 GYMNASIUM W	11/18/2020	1
7289426	97	11/18/2020	0.9
7289427	98	11/18/2020	1
7289428	99	11/18/2020	1.1
7289429	100 MAIN OFFICE	11/18/2020	<0.3
7289430	100A PRINCIPAL OFFICE	11/18/2020	<0.3
7289431	100B	11/18/2020	<0.3
7289432	100C	11/18/2020	<0.3
7289433	101	11/18/2020	<0.3
7289434	102	11/18/2020	<0.3
7289435	103	11/18/2020	0.9
7289436	104	11/18/2020	0.6
7289437	105	11/18/2020	<0.3
7289438	106	11/18/2020	<0.3
7289439	107	11/18/2020	<0.3
7289440	108	11/18/2020	<0.3
7289441	109	11/18/2020	<0.3
7289442	110	11/18/2020	<0.3
7289443	111	11/18/2020	<0.3
7289444	112	11/18/2020	<0.3
7289445	113	11/18/2020	<0.3
7289446	114	11/18/2020	<0.3
10004001	115	11/18/2020	<0.3
10004002	116	11/18/2020	0.6
10004003	117	11/18/2020	<0.3
10004004	120	11/18/2020	<0.3
10004005	121	11/18/2020	<0.3
10004006	122E	11/18/2020	0.6
10004007	122W	11/18/2020	0.6
10004008	124	11/18/2020	<0.3

10004009	125	11/18/2020	0.5
10004010	126	11/18/2020	<0.3
10004011	BLANK	11/18/2020	<0.3
10004012	BLANK	11/18/2020	<0.3

Grant Wood Elementary			
Kit #	Room ID	Date Tested	Results in pCi/L
9408317	Cafeteria	6/4/2020	<0.3
9408318	Cafeteria	6/4/2020	<0.3
9408319	Music Room	6/4/2020	<0.3
9408320	Gym	6/4/2020	<0.3
9408321	Gym 2	6/4/2020	<0.3
9408322	Stage	6/4/2020	<0.3
9408325	Engineer Office	6/4/2020	0.7
9408326	PE Office	6/4/2020	0.9
9408327	101	6/4/2020	<0.3
9408328	102	6/4/2020	<0.3
9408329	103	6/4/2020	<0.3
9408330	104	6/4/2020	<0.3
9408331	105	6/4/2020	<0.3
9408332	106	6/4/2020	<0.3
9408333	107	6/4/2020	<0.3
9408334	IMC	6/4/2020	<0.3
9408335	110	6/4/2020	<0.3
9408336	111	6/4/2020	<0.3
9408337	112	6/4/2020	<0.3
9408338	113	6/4/2020	<0.3
9408339	114	6/4/2020	<0.3
9408340	115	6/4/2020	<0.3
9408341	116	6/4/2020	<0.3
9408342	117	6/4/2020	<0.3
9408343	BLANK	6/4/2020	<0.3
9408344	BLANK	6/4/2020	<0.3
9408345	205	6/4/2020	<0.3

Harding Middle School			
Kit #	Room ID	Date Tested	Results in pCi/L
10004146	4 GIRLS COACH	11/25/2020	<0.3
10004147	9 BOYS COACH	11/25/2020	<0.3
10004148	GYM WEST	11/25/2020	<0.3
10004149	GYM EAST	11/25/2020	<0.3

10004150	IMC E	11/25/2020	<0.3
10004151	IMC W	11/25/2020	<0.3
10004152	99A	11/25/2020	0.7
10004153	99C	11/25/2020	0.8
10004154	99E	11/25/2020	0.6
10004155	101	11/25/2020	<0.3
10004156	102	11/25/2020	<0.3
10004157	103	11/25/2020	0.5
10004158	104	11/25/2020	<0.3
10004159	105	11/25/2020	<0.3
10004160	106	11/25/2020	<0.3
10004161	107	11/25/2020	<0.3
10004162	108	11/25/2020	<0.3
10004163	109	11/25/2020	<0.3
10004164	111	11/25/2020	<0.3
10004165	111A	11/25/2020	<0.3
10004166	111B	11/25/2020	<0.3
10004167	111C	11/25/2020	<0.3
10004168	112	11/25/2020	0.7
10004169	113	11/25/2020	0.7
10004170	114	11/25/2020	0.5
10004171	115	11/25/2020	0.7
10004172	115A	11/25/2020	<0.3
10004173	INDUSTRIAL TECH SHOP	11/25/2020	<0.3
10004174	116	11/25/2020	0.8
10004175	117	11/25/2020	<0.3
10004176	118A	11/25/2020	1.6
10004177	119	11/25/2020	<0.3
10004178	125	11/25/2020	RESULTS NOT REPORTED
10004179	126	11/25/2020	<0.3
10004180	127	11/25/2020	<0.3
10004181	128	11/25/2020	<0.3
10004182	128A	11/25/2020	<0.3
10004183	129	11/25/2020	<0.3
10004184	130	11/25/2020	<0.3
10004185	133	11/25/2020	1.2
10004186	NURSE OFFICE	11/25/2020	0.7
10004187	134	11/25/2020	0.9
10004188	134A	11/25/2020	1.1
10004189	134B	11/25/2020	0.6
10004190	134C	11/25/2020	1

10004191	134D	11/25/2020	1.1
10004192	134E	11/25/2020	0.6
10004193	134F	11/25/2020	0.7
10004194	134G	11/25/2020	0.9
10004195	136	11/25/2020	1.2
10004196	137	11/25/2020	0.7
10004197	138	11/25/2020	0.6
10004198	138A	11/25/2020	0.7
10004199	140 CAFÉ N	11/25/2020	<0.3
10004200	140 CAFÉ S	11/25/2020	<0.3
10004201	140A	11/25/2020	<0.3
10004202	KITCHEN MANAGER	11/25/2020	0.7
10004203	144 VOCAL N	11/25/2020	0.8
10004204	144 VOCAL S	11/25/2020	1
10004205	144A	11/25/2020	<0.3
10004206	144B	11/25/2020	0.6
10004207	146 ORCHESTRA N	11/25/2020	<0.3
10004208	146 ORCHESTRA S	11/25/2020	0.9
10004209	146A	11/25/2020	0.5
10004210	147 BAND W	11/25/2020	<0.3
10004211	147 BAND E	11/25/2020	<0.3
10004212	147 BAND OFFICE 1	11/25/2020	<0.3
10004213	147 BAND OFFICE E	11/25/2020	0.6
10004214	148 AUD N	11/25/2020	<0.3
10004215	148 AUD S	11/25/2020	<0.3
10004216	202	11/25/2020	0.5
410004217	209	11/25/2020	<0.3
10004218	212	11/25/2020	<0.3
10004219	BLANK	11/25/2020	<0.3
10004220	BLANK	11/25/2020	<0.3
10004221	BLANK	11/25/2020	<0.3

Harrison Elementary			
Kit #	Room ID	Date Tested	Results in pCi/L
10004113	100	11/25/2020	2.5
10004114	100A	11/25/2020	2.3
10004115	100B	11/25/2020	1.3
10004116	100C	11/25/2020	1.7
10004117	102	11/25/2020	2.1
10004118	103	11/25/2020	3
10004119	104	11/25/2020	2.1

10004120	105	11/25/2020	1.5
10004121	106 CAFÉ E	11/25/2020	2.1
10004122	106 CAFÉ W	11/25/2020	2.4
10004123	106A	11/25/2020	1.9
10004125	107A GYMNASIUM STAGE	11/25/2020	1.8
10004126	107 GYMNASIUM N	11/25/2020	1.5
10004127	107 GYMNASIUM S	11/25/2020	2
10004128	108	11/25/2020	1.9
10004129	109	11/25/2020	1.4
10004130	110 IMC N	11/25/2020	1.4
10004131	110 IMC S	11/25/2020	1.6
10004132	112	11/25/2020	2.1
10004133	113	11/25/2020	3.7
10004134	114A	11/25/2020	2.5
10004135	114	11/25/2020	2.9
10004136	115A	11/25/2020	2.9
10004137	115	11/25/2020	3.3
10004138	116	11/25/2020	3.8
10004139	117	11/25/2020	4.3
10004140	PORTABLE W SIDE	11/25/2020	<0.3
10004141	PORTABLE E SIDE	11/25/2020	<0.3
10004142	211	11/25/2020	2.4
10004143	207	11/25/2020	1.4
10004144	BLANK	11/25/2020	<0.3
10004145	BLANK	11/25/2020	<0.3

Hiawatha Elementary			
Kit #	Room ID	Date Tested	Results in pCi/L
7991213	101	2/7/2018	< 0.3
7991214	101	2/7/2018	< 0.3
7991215	102	2/7/2018	< 0.3
7991216	102	2/7/2018	< 0.3
7991217	103	2/7/2018	< 0.3
7991218	103	2/7/2018	< 0.3
7991219	104	2/7/2018	< 0.3
7991220	104	2/7/2018	< 0.3
7991221	105	2/7/2018	< 0.3
7991222	105	2/7/2018	< 0.3
7991223	106	2/7/2018	< 0.3
7991224	106	2/7/2018	< 0.3
7991225	107	2/7/2018	< 0.3

7991226	107	2/7/2018	< 0.3
7991227	108	2/7/2018	< 0.3
7991228	108	2/7/2018	< 0.3
7991229	109	2/7/2018	< 0.3
7991230	109	2/7/2018	< 0.3
7991231	110	2/7/2018	< 0.3
7991232	110	2/7/2018	< 0.3
7991233	111	2/7/2018	< 0.3
7991234	111	2/7/2018	< 0.3
7991235	112	2/7/2018	< 0.3
7991236	112	2/7/2018	< 0.3
7991237	113	2/7/2018	< 0.3
7991238	113	2/7/2018	< 0.3
7991240	114	2/7/2018	< 0.3
7991239	114	2/7/2018	< 0.3
7991269	115	2/7/2018	< 0.3
7991298	115	2/7/2018	< 0.3
7991271	116	2/7/2018	< 0.3
7991272	116	2/7/2018	< 0.3
7991273	117	2/7/2018	< 0.3
7991274	117	2/7/2018	< 0.3
7991275	118	2/7/2018	< 0.3
7991276	118	2/7/2018	< 0.3
7991278	119	2/7/2018	< 0.3
7991268	COMPUTER LAB	2/7/2018	< 0.3
7991257	CONFERENCE ROOM	2/7/2018	< 0.3
7991258	CONFERENCE ROOM	2/7/2018	0.5
7991205	GYM 1	2/7/2018	1.6
7991206	GYM 1	2/7/2018	1.1
7991208	GYM 2	2/7/2018	1.4
7991207	GYM 2	2/7/2018	1.5
7991251	HEALTH OFFICE	2/7/2018	< 0.3
7991252	HEALTH OFFICE	2/7/2018	< 0.3
7991263	IMC	2/7/2018	< 0.3
7991264	IMC	2/7/2018	< 0.3
7991265	IMC-2	2/7/2018	0.6
7991266	IMC-2	2/7/2018	< 0.3
7991253	MAIN OFFICE	2/7/2018	< 0.3
7991254	MAIN OFFICE	2/7/2018	< 0.3
7991209	PE OFFICE	2/7/2018	3.2
7991210	PE OFFICE	2/7/2018	3.4

7991256	PRINCIPAL OFFICE	2/7/2018	< 0.3
7991255	PRINCIPAL OFFICE	2/7/2018	< 0.3
7991259	SHARON BORING OFFICE	2/7/2018	< 0.3
7991260	SHARON BORING OFFICE	2/7/2018	< 0.3
7991211	STAGE	2/7/2018	< 0.3
7991212	STAGE	2/7/2018	< 0.3

Hoover Elementary			
Kit #	Room ID	Date Tested	Results in pCi/L
9408187	Cafeteria	5/29/2020	0.8
9408188	Cafeteria	5/29/2020	<0.3
9408189	Cafeteria Office	8/1/2020	<0.3
9408190	123	5/29/2020	<0.3
9408191	124	5/29/2020	<0.3
9408192	125	5/29/2020	<0.3
9408193	126	5/29/2020	<0.3
9408194	127	5/29/2020	<0.3
9408195	IMC	5/29/2020	<0.3
9408196	IMC	5/29/2020	<0.3
9408197	129	5/29/2020	<0.3
9408198	131	5/29/2020	<0.3
9408199	132	5/29/2020	<0.3
9408200	133	5/29/2020	<0.3
9408201	134	5/29/2020	<0.3
9408202	136	5/29/2020	<0.3
9408203	Main Office	5/29/2020	<0.3
9408204	Principal Office	5/29/2020	<0.3
9408205	Clinic	5/29/2020	<0.3
9408206	101	5/29/2020	<0.3
9408207	102	5/29/2020	<0.3
9408208	BLANK	5/29/2020	<0.3
9408209	103	5/29/2020	<0.3
9408210	104	5/29/2020	<0.3
9408211	105	5/29/2020	<0.3
9408212	106	5/29/2020	<0.3
9408213	107	5/29/2020	0.6
9408215	137	5/29/2020	<0.3
9408217	139	5/29/2020	<0.3
9408218	140	5/29/2020	<0.3
9408219	141	5/29/2020	<0.3
9408220	142	5/29/2020	<0.3

9408221	BLANK	5/29/2020	<0.3
9408222	BLANK	5/29/2020	<0.3

Jackson Elementary			
Kit #	Room ID	Date Tested	Results in pCi/L
9408223	Teachers Lounge	5/29/2020	< 0.3
9408224	Gymnasium	5/29/2020	< 0.3
9408225	Gymnasium	5/29/2020	0.7
9408226	Engineer Office	5/29/2020	< 0.3
9408227	Cafeteria	5/29/2020	0.6
9408228	Cafeteria	5/29/2020	0.5
9408229	110	5/29/2020	0.9
9408230	111	5/29/2020	0.7
9408231	112	5/29/2020	0.7
9408232	113	5/29/2020	0.6
9408233	114	5/29/2020	< 0.3
9408234	115	5/29/2020	0.8
9408235	116	5/29/2020	0.8
9408236	117	5/29/2020	0.6
9408237	118	5/29/2020	0.9
9408238	119	5/29/2020	0.9
9408239	120	5/29/2020	< 0.3
9408240	121	5/29/2020	< 0.3
9408241	Main Office	5/29/2020	< 0.3
9408242	210	5/29/2020	< 0.3
9408243	BLANK	5/29/2020	< 0.3

Jefferson High School			
Kit #	Room ID	Date Tested	Results in pCi/L
9160869	Wood Shop 100	1/16/2019	1.2
9160870	Wood Shop 100	1/16/2019	1.1
9160871	Industrial Tech 101	1/16/2019	0.9
9160872	201	1/16/2019	1
9160873	103B	1/16/2019	0.8
9160874	103C	1/16/2019	1
9160875	102	1/16/2019	1.2
9160876	100A	1/16/2019	0.9
9160877	Office 105B	1/16/2019	1.4
9160878	105C	1/16/2019	1.5
9160879	Office 105E	1/16/2019	1.2
9160880	104	1/16/2019	0.9

9160881	Cafeteria	1/16/2019	<0.3
9160882	Cafeteria	1/16/2019	0.6
9160883	106	1/16/2019	0.6
9160884	108	1/16/2019	0.5
9160885	183 Gym	1/16/2019	<0.3
9160886	183 Gym	1/16/2019	<0.3
9160887	Coach Office Womens	1/16/2019	0.6
9160888	189 Office	1/16/2019	<0.3
9160889	Weight room 11	1/16/2019	<0.3
9160890	Weight room 11	1/16/2019	<0.3
9160891	Coach office downstairs MLR	1/16/2019	<0.3
9160892	Engineer Office	1/16/2019	0.6
9160893	194 Big Gym	1/16/2019	<0.3
9160894	194 Big Gym	1/16/2019	<0.3
9160895	199C Mens B-ball	1/16/2019	<0.3
9160896	Women's B-ball office	1/16/2019	<0.3
9160897	Activities Office	1/16/2019	0.7
9160898	107A Act. Director	1/16/2019	0.8
9160899	109	1/16/2019	0.5
9160900	111	1/16/2019	<0.3
9160901	112	1/16/2019	<0.3
9160902	114	1/16/2019	<0.3
9160903	113	1/16/2019	0.7
9160904	115	1/16/2019	0.7
9160905	116	1/16/2019	<0.3
9160906	117	1/16/2019	0.5
9160907	118	1/16/2019	0.6
9160908	119	1/16/2019	<0.3
9160909	120	1/16/2019	0.6
9160910	122	1/16/2019	<0.3
9160911	124	1/16/2019	<0.3
9160912	123	1/16/2019	0.8
9160913	126	1/16/2019	0.6
9160918	Health Clinic	1/16/2019	0.6
9160919	151	1/16/2019	1.2
9160920	152	1/16/2019	<0.3
9160921	153	1/16/2019	1
9160922	154	1/16/2019	<0.3
9160923	155	1/16/2019	0.5
9160924	156	1/16/2019	0.6
9160925	157	1/16/2019	<0.3

9160926	125	1/16/2019	2.4
9160927	125A	1/16/2019	1.8
9160928	125B	1/16/2019	0.9
9160929	125C	1/16/2019	1.8
9160930	129A	1/16/2019	1.3
9160931	129A-2	1/16/2019	1
9160932	129B	1/16/2019	1.2
9160933	129C	1/16/2019	0.8
9160934	129D	1/16/2019	1.2
9160935	129E	1/16/2019	0.9
9160936	129F	1/16/2019	0.8
9160937	129G	1/16/2019	2
9160938	Counseling Open Office	1/16/2019	1.1
9160939	127C	1/16/2019	1.1
9160940	127E	1/16/2019	1.8
9160941	127F	1/16/2019	1.9
9160942	Main office Open	1/16/2019	1.2
9160943	130	1/16/2019	<0.3
9160944	132	1/16/2019	0.6
9160945	134 Office	1/16/2019	<0.3
9160946	135	1/16/2019	0.7
9160947	136	1/16/2019	0.9
9160948	38	1/16/2019	0.9
9160949	36	1/16/2019	0.6
9160950	37	1/16/2019	<0.3
9160951	40	1/16/2019	2.2
9160952	41	1/16/2019	1.3
9160953	42	1/16/2019	1.8
9160954	43	1/16/2019	1
9160955	142	1/16/2019	1.1
9160956	237	1/16/2019	<0.3
9160957	BLANK	1/16/2019	<0.3
9160958	266	1/16/2019	<0.3
9160959	268	1/16/2019	<0.3
9160960	224A	1/16/2019	<0.3
9160961	216	1/16/2019	<0.3
9160962	208	1/16/2019	<0.3
9160963	160	1/16/2019	1
9160964	160A	1/16/2019	<0.3
9160965	161	1/16/2019	0.6
9160966	159	1/16/2019	0.7

9160967	178	1/16/2019	<0.3
9160968	166	1/16/2019	Vanzdalied Kit
9160969	Vocal Music Ofc.	1/16/2019	0.3
9160970	165 Orchestra	1/16/2019	0.3
9160971	167 Orch. Ofc.	1/16/2019	0.3
9160972	169 Band	1/16/2019	0.4
9160973	169 Band	1/16/2019	0.4
9160974	169 Band Ofc.	1/16/2019	0.3
9160975	170 Band	1/16/2019	0.3
9160976	170 Band	1/16/2019	0.4
9160977	170 Band Ofc.	1/16/2019	0.4
9161090	BLANK	1/16/2019	<0.3

Johnson Elementary			
Kit #	Room ID	Date Tested	Results in pCi/L
9408347	GYMNASIUM N	11/16/2020	0.9
9408348	GYMNASIUM S	11/16/2020	0.8
9408349	CAFÉ E	11/16/2020	<0.3
9408350	CAFÉ W	11/16/2020	0.6
9408351	131	11/16/2020	2.1
9408352	134	11/16/2020	<0.3
9408353	101	11/16/2020	<0.3
9408354	102	11/16/2020	<0.3
9408355	103	11/16/2020	0.8
9408356	104	11/16/2020	0.6
9408357	105	11/16/2020	0.6
9408358	106	11/16/2020	<0.3
9408359	107	11/16/2020	<0.3
9408360	108	11/16/2020	0.8
9408361	109	11/16/2020	<0.3
9408362	110	11/16/2020	DAMAGED TEST KIT AT PICKUP
9408363	111	11/16/2020	<0.3
9408364	112	11/16/2020	<0.3
9408365	113	11/16/2020	1.2
9408366	114	11/16/2020	<0.3
9408367	155	11/16/2020	0.9
9408368	116	11/16/2020	<0.3
9408369	117	11/16/2020	<0.3
9408370	118	11/16/2020	0.6
9408371	119	11/16/2020	<0.3
9408372	120	11/16/2020	<0.3

9408373	121	11/16/2020	<0.3
9408374	122	11/16/2020	0.6
9408375	123	11/16/2020	<0.3
9408376	124	11/16/2020	0.6
9408377	ENGINEER OFFICE	11/16/2020	1.8
9408378	202	11/16/2020	<0.3
9408379	208	11/16/2020	<0.3
9408380	BLANK	11/16/2020	<0.3
9408381	BLANK	11/16/2020	<0.3
9408382	FOYER AREA	11/16/2020	1.1

Kennedy High School			
Kit #	Room ID	Date Tested	Results in pCi/L
10004224	COACH OFFICE MEN'S	1/11/2021	0.9
10004225	COACH OFFICE LADIE'S	1/11/2021	0.8
10004226	53 WRESTLING ROOM	1/11/2021	0.7
10004227	20 TRAINER'S ROOM	1/11/2021	0.8
10004228	21 Trainer's office	1/11/2021	1
10004229	MAIN GYM WEST	1/11/2021	0.5
10004230	MAIN GYM EAST	1/11/2021	>0.3
10004231	SMALL GYM WEST	1/11/2021	0.6
10004232	SMALL GYM EAST	1/11/2021	1.3
10004233	51	1/11/2021	0.6
10004234	52	1/11/2021	0.6
10004235	52A	1/11/2021	1
10004236	51C	1/11/2021	0.6
10004237	55	1/11/2021	0.6
10004238	55A	1/11/2021	0.5
10004239	56	1/11/2021	<0.3
10004240	56C	1/11/2021	0.6
10004241	59	1/11/2021	0.9
10004242	60	1/11/2021	0.9
10004243	61	1/11/2021	0.8
10004244	62	1/11/2021	0.7
10004245	62B	1/11/2021	<0.3
10004246	62C	1/11/2021	<0.3
10004247	64	1/11/2021	0.6
10004248	64A	1/11/2021	0.6
10004249	64B	1/11/2021	0.7
10004250	64C	1/11/2021	1.1
10004251	64D	1/11/2021	1

10004252	64E	1/11/2021	0.8
10004253	64F	1/11/2021	1.1
10004254	65	1/11/2021	0.8
10004255	66	1/11/2021	0.7
10004256	67	1/11/2021	0.8
10004257	67A	1/11/2021	1
10004258	68	1/11/2021	0.9
10004259	69	1/11/2021	0.6
10004260	70	1/11/2021	0.7
10004261	71	1/11/2021	0.8
10004262	71B	1/11/2021	1.1
10004263	71C	1/11/2021	0.5
10004264	71D	1/11/2021	<0.3
10004265	72	1/11/2021	1
10004266	BLANK	1/11/2021	<0.3
10004267	73	1/11/2021	0.9
10004268	73A	1/11/2021	0.7
10004269	74	1/11/2021	0.9
10004270	74A	1/11/2021	1.1
10004271	100 UPPER IMC	1/11/2021	0.9
10004272	101	1/11/2021	1
10004273	102	1/11/2021	1
10004274	103	1/11/2021	BAD TEST KIT
10004275	104	1/11/2021	1.3
10004276	105	1/11/2021	1.2
10004277	106	1/11/2021	1
10004278	107	1/11/2021	1.6
10004279	108	1/11/2021	0.9
10004280	115	1/11/2021	1.1
10004281	116	1/11/2021	1.2
10004282	116A	1/11/2021	1.5
10004283	117	1/11/2021	1.4
10004284	118	1/11/2021	1.2
10004285	119	1/11/2021	1
10004286	120	1/11/2021	0.7
10004287	120A	1/11/2021	1
10004288	121	1/11/2021	0.8
10004289	122	1/11/2021	1.1
10004290	123	1/11/2021	<0.3
10004291	124	1/11/2021	1
10004292	125	1/11/2021	0.7

10004293	126	1/11/2021	0.7
10004294	127	1/11/2021	0.8
10004295	128	1/11/2021	0.7
10004296	161	1/11/2021	<0.3
10004297	162	1/11/2021	0.7
10004298	163	1/11/2021	0.6
10004299	164	1/11/2021	0.9
10004300	165	1/11/2021	0.7
10009101	171	1/11/2021	0.7
10009102	172	1/11/2021	0.9
10009103	173	1/11/2021	BAD TEST KIT
10009104	174	1/11/2021	<0.3
10009105	175	1/11/2021	0.9
10009106	MAIN IMC	1/11/2021	1.1
10009107	LOWER IMC	1/11/2021	0.7
10009108	BOOKKEEPER	1/11/2021	1
10009109	COUNSELING MAIN	1/11/2021	0.8
10009110	COUNSELING 1	1/11/2021	1
10009111	COUNSELING 2	1/11/2021	0.9
10009112	COUNSELING 3	1/11/2021	1.1
10009113	COUNSELING 4	1/11/2021	0.7
10009114	COUNSELING 5	1/11/2021	1
10009115	CLINIC	1/11/2021	1.2
10009116	METRO CARE CONNECTION	1/11/2021	BAD TEST KIT
10009117	ACTIVITIES MAIN	1/11/2021	0.9
10009118	STECKER	1/11/2021	1.1
10009119	MAIN OFFICE	1/11/2021	KIT MISSING @ P/U
10009120	CLINE	1/11/2021	0.8
10009121	JESS JOHNSON	1/11/2021	1
10009122	ROBERT JOHNSON	1/11/2021	1
10009123	205	1/11/2021	BAD TEST KIT
10009124	212	1/11/2021	<0.3
10009125	221	1/11/2021	<0.3
10009126	229	1/11/2021	<0.3
10009127	301	1/11/2021	1
10009128	302	1/11/2021	0.7
10009129	303	1/11/2021	0.8
10009130	304	1/11/2021	1
10009131	305	1/11/2021	<0.3
10009132	306	1/11/2021	0.8
10009133	307	1/11/2021	1

10009135	309	1/11/2021	0.9
10009136	310	1/11/2021	NO RESULTS REPORTED
10009137	311	1/11/2021	0.8
10009138	STAGE	1/11/2021	0.7
10009139	CAFÉ E	1/11/2021	0.7
10009140	CAFÉ W	1/11/2021	1
10009141	313 A	1/11/2021	<0.3
10009142	CUSTODIAL BREAK ROOM	1/11/2021	0.8
10009143	BUILDING ENGINEER	1/11/2021	0.9
10009144	359	1/11/2021	1.4
10009145	361	1/11/2021	1.2
10009146	363	1/11/2021	1.9
10009147	365A	1/11/2021	0.9
10009148	365B	1/11/2021	0.9
10009149	366	1/11/2021	1.1
10009150	373	1/11/2021	2.5
10009151	BLANK	1/11/2021	<0.3
10009152	BLANK	1/11/2021	<0.3
10009153	BLANK	1/11/2021	<0.3
10009154	BLANK	1/11/2021	<0.3

Kenwood Elementary			
Kit #	Room ID	Date Tested	Results in pCi/L
7991052	CAFETERIA	1/11/2019	< 0.3
7991055	CAFETERIA	1/11/2019	< 0.3
7991056	ENGINEER OFFICE	1/11/2019	1.5
7991057	5	1/11/2019	< 0.3
7991058	GYM (109)	1/11/2019	< 0.3
7991059	GYM (109)	1/11/2019	< 0.3
7991060	IMC	1/11/2019	0.7
7991061	IMC	1/11/2019	< 0.3
7991062	117	1/11/2019	< 0.3
7991063	108 MAIN	1/11/2019	< 0.3
7991064	PRINCIPAL OFFICE	1/11/2019	< 0.3
7991065	COUNSELOR OFFICE	1/11/2019	< 0.3
7991066	MRS KUCUK OFFICE	1/11/2019	< 0.3
7991067	CLINIC	1/11/2019	< 0.3
7991068	107	1/11/2019	< 0.3
7991069	101	1/11/2019	< 0.3
7991070	102	1/11/2019	0.6
7991071	106	1/11/2019	< 0.3

7991072	103	1/11/2019	< 0.3
7991073	104	1/11/2019	< 0.3
7991074	105	1/11/2019	< 0.3
7991075	1A	1/11/2019	< 0.3
7991076	2A	1/11/2019	< 0.3
7991077	3A	1/11/2019	< 0.3
7991078	4A	1/11/2019	< 0.3
7991079	5A	1/11/2019	< 0.3
7991080	6A	1/11/2019	< 0.3
7991081	210	1/11/2019	< 0.3
7991082	202	1/11/2019	< 0.3
7991083	207	1/11/2019	< 0.3
7991084	205	1/11/2019	< 0.3
9160915	LCPH - BLANK	1/11/2019	< 0.3

Madison Elementary			
Kit #	Room ID	Date Tested	Results in pCi/L
9408285	Cafeteria	5/29/2020	2.9
9408286	Cafeteria	5/29/2020	2.7
9408287	Engineer Office	5/29/2020	1.4
9408288	Gymnasium	5/29/2020	2.2
9408289	Gymnasium	5/29/2020	2.4
9408290	Main Office	5/29/2020	3.6
9408291	Principal Office	5/29/2020	1.4
9408292	Clinic	5/29/2020	< 0.3
9408293	Teacher Lounge	5/29/2020	2.5
9408294	IMC	5/29/2020	1.7
9408295	IMC	5/29/2020	2
9408296	99	5/29/2020	< 0.3
9408297	100	5/29/2020	1.5
9408298	101	5/29/2020	0.6
9408299	102	5/29/2020	1.2
9408300	103	5/29/2020	3
9408301	104	5/29/2020	2.1
9408302	105	5/29/2020	1.6
9408303	106	5/29/2020	0.6
9408304	107	5/29/2020	1
9408305	108	5/29/2020	3.3
9408306	109	5/29/2020	1.6
9408307	110	5/29/2020	3.4
9408308	111	5/29/2020	0.5

9408309	112	5/29/2020	2
9408310	113	5/29/2020	< 0.3
9408311	114	5/29/2020	0.6
9408312	115	5/29/2020	< 0.3
9408313	BLANK	5/29/2020	< 0.3
9408314	BLANK	5/29/2020	< 0.3

McKinley Middle School			
Kit #	Room ID	Year Tested	Results in pCi/L
9408162	Cafeteria North	5/29/2020	< 0.3
9408163	Cafeteria North	5/29/2020	< 0.3
9408164	Cafeteria South	5/29/2020	< 0.3
9408165	Cafeteria South	5/29/2020	< 0.3
9408166	1	5/29/2020	0.6
9408167	100	5/29/2020	< 0.3
9408168	102	5/29/2020	0.5
9408169	Engineer Office	5/29/2020	< 0.3
9408170	132	5/29/2020	< 0.3
9408171	128	5/29/2020	< 0.3
9408172	Gymnasium	5/29/2020	< 0.3
9408173	Gymnasium	5/29/2020	< 0.3
9408174	127	5/29/2020	< 0.3
9408175	126	5/29/2020	< 0.3
9408176	107	5/29/2020	0.5
9408177	107A	5/29/2020	0.6
9408178	115	5/29/2020	< 0.3
9408179	Counselor	5/29/2020	< 0.3
9408180	207	5/29/2020	< 0.3
9408181	219	5/29/2020	< 0.3
9408182	301	5/29/2020	< 0.3
9408183	333	5/29/2020	< 0.3
9408184	332	5/29/2020	< 0.3
9408185	BLANK	5/29/2020	< 0.3
9408186	BLANK	5/29/2020	< 0.3

Metro High School			
Kit #	Room ID	Year Tested	Results in pCi/L
7289392	2	11/16/2020	1.5
7289393	3	11/16/2020	0.6
7289394	5 CAFÉ	11/16/2020	<0.3
7289395	5 CAFÉ	11/16/2020	<0.3

7289396	301	11/16/2020	<0.3
7289397	302	11/16/2020	<0.3
7289398	109	11/16/2020	0.8
7289399	110	11/16/2020	0.7
7289400	111	11/16/2020	<0.3
7289401	112	11/16/2020	0.6
7289402	113	11/16/2020	0.7
7289403	114	11/16/2020	<0.3
7289404	116	11/16/2020	<0.3
7289405	117	11/16/2020	<0.3
7289406	118	11/16/2020	<0.3
7289407	119	11/16/2020	<0.3
7289409	120	11/16/2020	<0.3
7289410	121	11/16/2020	1
7289411	122	11/16/2020	KIT DAMAGED AT PICKUP
7289412	123	11/16/2020	0.6
7289413	124	11/16/2020	0.9
7289414	125	11/16/2020	0.9
7289415	127	11/16/2020	0.8
7289416	128	11/16/2020	1.1
7289417	127	11/16/2020	1
7289418	128	11/16/2020	0.9
7289420	130	11/16/2020	0.8
7289421	131	11/16/2020	131
7289422	203	11/16/2020	<0.3
7289423	209	11/16/2020	<0.3
Nixon Elementary			
Kit #	Room ID	Year Tested	Results in pCi/L
8353553	103	2/28/2019	0.6
8353554	104	2/28/2019	1.2
8353555	105	2/28/2019	1
8353556	106	2/28/2019	1.1
8353557	107	2/28/2019	0.9
8353558	109	2/28/2019	0.6
8353559	108	2/28/2019	1.9
8353560	110	2/28/2019	1
8353561	CAFÉ' NORTH	2/28/2019	1.7
8353562	CAFÉ' SOUTH	2/28/2019	1.2
8353563	KITCHEN OFFICE	2/28/2019	1.6
8353564	MAIN OFFICE	2/28/2019	<0.3

8353565	PRINCIPAL OFFICE	2/28/2019	<0.3
8353566	204	2/28/2019	<0.3
8353567	209	2/28/2019	<0.3
8353568	BLANK	2/28/2019	<0.3
9161093	GYM SOUTH	2/28/2019	0.8
9161094	GYM NORTH	2/28/2019	1.4
9161095	ENGINEER OFFICE	2/28/2019	0.9
9161096	TEACHERS LOUNGE	2/28/2019	0.5
9161097	111	2/28/2019	2
9161098	100	2/28/2019	1
9161099	101	2/28/2019	0.6
9161100	102	2/28/2019	<0.3

Pierce Elementary			
Kit #	Room ID	Year Tested	Results in pCi/L
7991145	120	1/29/2018	< 0.3
7991146	121	1/29/2018	1.1
7991147	122	1/29/2018	0.5
7991148	123	1/29/2018	< 0.3
7991149	124	1/29/2018	0.5
7991152	125	1/29/2018	0.8
7991153	126	1/29/2018	0.7
7991154	127	1/29/2018	0.7
7991155	128	1/29/2018	< 0.3
7991156	129	1/29/2018	0.5
7991157	130	1/29/2018	0.6
7991158	131	1/29/2018	< 0.3
7991159	132	1/29/2018	< 0.3
7991160	133	1/29/2018	0.6
7991161	134	1/29/2018	< 0.3
7991162	135 COUNSELOR	1/29/2018	0.7
7991163	136	1/29/2018	0.9
7991164	137	1/29/2018	0.6
7991165	138	1/29/2018	0.7
7991166	139	1/29/2018	< 0.3
7991167	140	1/29/2018	< 0.3
7991168	141	1/29/2018	0.6
7991135	CAFé	1/29/2018	< 0.3
7991136	GYM	1/29/2018	< 0.3
7991137	GYM	1/29/2018	0.5
7991150	IMC	1/29/2018	0.9

7991151	IMC	1/29/2018	1
7991143	LOUNGE	1/29/2018	< 0.3
7991139	MAIN OFFICE	1/29/2018	< 0.3
7991140	NURSE	1/29/2018	< 0.3
7991169	OFFICE BY 141	1/29/2018	0.9
7991200	PIERCE BLNK	1/29/2018	< 0.3
7991141	PRINCIPAL	1/29/2018	< 0.3
7991142	SPECIAL ED	1/29/2018	< 0.3
7991138	STAGE	1/29/2018	< 0.3
7991144	WORK ROOM	1/29/2018	< 0.3

Polk AEC			
Kit #	Room ID	Year Tested	Results in pCi/L
9408140	102	5/29/2020	< 0.3
9408141	Main Office	5/29/2020	< 0.3
9408142	SRO Office	5/29/2020	< 0.3
9408143	Principal Office	5/29/2020	< 0.3
9408144	Facilitator Office	5/29/2020	< 0.3
9408145	Clinic	5/29/2020	< 0.3
9408146	Work Room	5/29/2020	< 0.3
9408147	Engineer Office	5/29/2020	< 0.3
9408148	101	5/29/2020	< 0.3
9408149	101B	5/29/2020	< 0.3
9408150	103	5/29/2020	< 0.3
9408151	104	5/29/2020	< 0.3
9408152	105/Kit missing on Pickup	5/29/2020	N/A
9408153	106	5/29/2020	< 0.3
9408154	107	5/29/2020	< 0.3
9408155	108	5/29/2020	< 0.3
9408156	109	5/29/2020	0.5
9408157	205	5/29/2020	< 0.3
9408158	208	5/29/2020	< 0.3
9408159	Gymnasium	5/29/2020	< 0.3
9408160	Gymnasium	5/29/2020	< 0.3
9408161	BLANK	11/30/2015	< 0.3

Roosevelt Middle School			
Kit #	Room ID	Year Tested	Results in pCi/L
9160841	LUNCH ROOM NORTH	1/11/2019	< 0.3
9160842	LUNCH ROOM SOUTH	1/11/2019	< 0.3
9160843	111	1/11/2019	< 0.3

9160844	108	1/11/2019	< 0.3
9160845	KITCHEN OFFICE	1/11/2019	< 0.3
9160846	SMALL GYM	1/11/2019	< 0.3
9160847	SMALL GYM	1/11/2019	< 0.3
9160848	204	1/11/2019	< 0.3
9160849	ENGINEER OFFICE	1/11/2019	< 0.3
9160850	226	1/11/2019	< 0.3
9160851	205	1/11/2019	< 0.3
9160853	208	1/11/2019	0.8
9160854	210	1/11/2019	0.6
9160855	210	1/11/2019	0.6
9160856	BIG GYM	1/11/2019	< 0.3
9160857	BIG GYM	1/11/2019	0.6
9160858	COACH'S OFFICE BOYS LOCKER ROOM	1/11/2019	< 0.3
9160859	COACH'S OFFICE UPSTAIRS OF STORAGE	1/11/2019	< 0.3
9160860	COACH'S OFFICE GIRLS LOCKER ROOM	1/11/2019	< 0.3
9160861	216	1/11/2019	0.8
9160862	218	1/11/2019	< 0.3
9160863	340	1/11/2019	< 0.3
9160864	308	1/11/2019	< 0.3
9160865	IMC	1/11/2019	< 0.3
9160866	404	1/11/2019	0.8
9160867	424	1/11/2019	< 0.3
9160868	436	1/11/2019	< 0.3
9160917	LCPH-BLANK	1/11/2019	< 0.3

Taft Middle School			
Kit #	Room ID	Year Tested	Results in pCi/L
9408245	123	5/29/2020	0.7
9408246	129	5/29/2020	< 0.3
9408247	122	5/29/2020	< 0.3
9408248	121	5/29/2020	< 0.3
9408249	IMC	5/29/2020	< 0.3
9408250	120	5/29/2020	< 0.3
9408251	IMC	5/29/2020	< 0.3
9408252	Clinic	5/29/2020	< 0.3
9408253	118	5/29/2020	< 0.3
9408254	117	5/29/2020	< 0.3
9408255	116	5/29/2020	< 0.3
9408256	115	5/29/2020	< 0.3
9408257	114	5/29/2020	< 0.3

9408258	113	5/29/2020	< 0.3
9408259	100	5/29/2020	< 0.3
9408260	101	5/29/2020	< 0.3
9408261	102	5/29/2020	< 0.3
9408262	107	5/29/2020	< 0.3
9408263	108	5/29/2020	< 0.3
9408264	109	5/29/2020	< 0.3
9408265	110	5/29/2020	< 0.3
9408266	111	5/29/2020	< 0.3
9408267	112	5/29/2020	< 0.3
9408268	35	5/29/2020	< 0.3
9408269	32	5/29/2020	< 0.3
9408270	31	5/29/2020	0.6
9408271	28	5/29/2020	< 0.3
9408272	26	5/29/2020	< 0.3
9408273	24	5/29/2020	< 0.3
9408274	22	5/29/2020	< 0.3
9408275	Main Office	5/29/2020	< 0.3
9408276	Cafeteria	5/29/2020	0.6
9408277	Cafeteria	5/29/2020	0.6
9408278	3	5/29/2020	0.8
9408279	34	5/29/2020	< 0.3
9408280	5	5/29/2020	0.5
9408281	2	5/29/2020	0.6
9408282	Gymnasium	5/29/2020	0.5
9408283	1	5/29/2020	0.8
9408284	Gymnasium	5/29/2020	0.6
9408323	BLANK	5/29/2020	0.7
9408324	BLANK	5/29/2020	< 0.3

Taylor Elementary School			
Kit #	Room ID	Year Tested	Results in pCi/L
9160810	ENGINEER OFFICE	1/11/2019	< 0.3
9160811	GYM	1/11/2019	0.6
9160812	GYM	1/11/2019	0.6
9160813	CLINIC	1/11/2019	0.7
9160814	106	1/11/2019	0.5
9160815	R41 PRINCIPAL	1/11/2019	0.6
9160816	R42 FACILITATOR	1/11/2019	< 0.3
9160817	107 COUNSELOR	1/11/2019	1
9160818	110 STAFF LOUNGE	1/11/2019	< 0.3

9160819	CAFETERIA 1	1/11/2019	0.6
9160820	CAFETERIA 2	1/11/2019	< 0.3
9160821	114	1/11/2019	< 0.3
9160822	115	1/11/2019	< 0.3
9160823	116	1/11/2019	0.6
9160824	121	1/11/2019	0.7
9160825	122	1/11/2019	0.5
9160826	123	1/11/2019	< 0.3
9160827	127	1/11/2019	< 0.3
9160828	128	1/11/2019	< 0.3
9160829	129	1/11/2019	< 0.3
9160830	112	1/11/2019	1
9160831	R28	1/11/2019	< 0.3
9160832	R27 METRO CARE	1/11/2019	0.6
9160833	R27 PROGRAM OFFICE	1/11/2019	0.7
9160834	R21	1/11/2019	0.6
9160835	R19	1/11/2019	< 0.3
9160836	R15	1/11/2019	1.1
9160837	R11	1/11/2019	< 0.3
9160838	R05	1/11/2019	0.5
9160839	207	1/11/2019	< 0.3
9160840	213	1/11/2019	0.7
9160916	LCPH - BLANK	1/11/2019	< 0.3

Truman Elementary			
Kit #	Room ID	Year Tested	Results in pCi/L
9161003	Gym Office	1/16/2019	Missing Kit
9161022	Gym	1/16/2019	<0.3
9161023	Gym	1/16/2019	<0.3
9161024	121	1/16/2019	0.7
9161025	Main Office	1/16/2019	1.1
9161026	Clinic	1/16/2019	1.3
9161027	Office by lounge	1/16/2019	0.7
9161028	122	1/16/2019	0.7
9161029	123	1/16/2019	0.7
9161030	Cafeteria	1/16/2019	1.2
9161031	Cafeteria	1/16/2019	0.8
9161032	Stage	1/16/2019	0.6
9161033	124	1/16/2019	0.6
9161034	101	1/16/2019	0.8
9161035	IMC	1/16/2019	0.6

9161036	102	1/16/2019	0.6
9161037	103	1/16/2019	0.8
9161038	104	1/16/2019	0.6
9161039	105	1/16/2019	0.8
9161040	106	1/16/2019	1
9161041	107	1/16/2019	<0.3
9161042	108	1/16/2019	<0.3
9161043	109	1/16/2019	0.7
9161044	110	1/16/2019	0.7
9161045	111	1/16/2019	0.6
9161046	112	1/16/2019	<0.3
9161047	113	1/16/2019	0.7
9161048	114	1/16/2019	<0.3
9161049	115	1/16/2019	0.8
9161050	116	1/16/2019	0.7
9161051	117	1/16/2019	0.7
9161052	118	1/16/2019	1
9161053	119	1/16/2019	0.5
9161091	BLANK	1/16/2019	<0.3

Van Buren Elementary			
Kit #	Room ID	Year Tested	Results in pCi/L
7991047	110	1/30/2018	< 0.3
7991046	111	1/30/2018	0.7
7991045	112	1/30/2018	< 0.3
7991044	113	1/30/2018	< 0.3
7991043	114	1/30/2018	< 0.3
7991042	115	1/30/2018	< 0.3
7991041	116	1/30/2018	0.6
7991040	117	1/30/2018	< 0.3
7991039	118	1/30/2018	< 0.3
7991038	119	1/30/2018	< 0.3
7991037	120	1/30/2018	< 0.3
7991036	121	1/30/2018	< 0.3
7991048	211	1/30/2018	< 0.3
7991049	217	1/30/2018	< 0.3
7991051	BLANK	1/30/2018	< 0.3
7991050	BLANK	1/30/2018	< 0.3
7991053	CAFETERIA	1/30/2018	< 0.3
7991054	CAFETERIA	1/30/2018	< 0.3
7991034	ENGINEER OFFICE	1/30/2018	0.6

7991032	GYM	1/30/2018	< 0.3
7991033	GYM	1/30/2018	< 0.3
7991035	STAFF LOUNGE	1/30/2018	< 0.3

Viola Gibson Elementary			
Kit #	Room ID	Year Tested	Results in pCi/L
7991121	102 LOUNGE	1/29/2018	< 0.3
7991123	102A CONFERENCE	1/29/2018	< 0.3
7991122	104 SCHULTE OFC.	1/29/2018	< 0.3
7991127	105	1/29/2018	< 0.3
7991124	106	1/29/2018	< 0.3
7991128	107	1/29/2018	< 0.3
7991125	108	1/29/2018	< 0.3
7991129	109	1/29/2018	< 0.3
7991126	110	1/29/2018	< 0.3
7991130	111	1/29/2018	< 0.3
7991118	121 PRINCIPAL	1/29/2018	< 0.3
7991120	122 FACILITATOR	1/29/2018	< 0.3
7991119	123 NURSE	1/29/2018	< 0.3
7991116	132 OFFICE	1/29/2018	< 0.3
7991108	140	1/29/2018	< 0.3
7991113	141	1/29/2018	< 0.3
7991109	142	1/29/2018	< 0.3
7991114	143	1/29/2018	< 0.3
7991110	144	1/29/2018	< 0.3
7991115	145	1/29/2018	0.8
7991111	146	1/29/2018	< 0.3
7991112	148	1/29/2018	< 0.3
7991107	152 ART	1/29/2018	< 0.3
7991106	162 MUSIC	1/29/2018	< 0.3
7991131	211	1/29/2018	< 0.3
7991132	248	1/29/2018	< 0.3
7991133	BLNK MAIN OFFICE	1/29/2018	< 0.3
7991134	BLNK MAIN OFFICE	1/29/2018	< 0.3
7991103	CAFETERIA	1/29/2018	< 0.3
7991105	ENGINEER OFFICE	1/29/2018	< 0.3
7991101	GYM	1/29/2018	0.9
7991102	GYM	1/29/2018	< 0.3
7991117	MAIN OFFICE	1/29/2018	< 0.3
7991104	VIOLA GIB. ROOM	1/29/2018	< 0.3

Washington High School

Kit #	Room ID	Year Tested	Results in pCi/L
7248918	Engineer Office	5/27/2020	0.5
7248919	102	5/27/2020	0.7
7248920	103	5/27/2020	0.5
7248921	Wood Shop	5/27/2020	0.9
7248922	104	5/27/2020	< 0.3
7248923	105E	5/27/2020	< 0.3
7248924	105D	5/27/2020	0.7
7248925	105C	5/27/2020	0.6
7248927	105B	5/27/2020	< 0.3
7248938	106A	5/27/2020	< 0.3
7248939	Cafeteria	5/27/2020	0.8
7248940	Cafeteria	5/27/2020	0.9
7248941	111	5/27/2020	< 0.3
7248942	113	5/27/2020	< 0.3
7248943	112	5/27/2020	< 0.3
7248944	114A	5/27/2020	< 0.3
7248945	115	5/27/2020	< 0.3
7248946	114	5/27/2020	< 0.3
7248947	117	5/27/2020	< 0.3
7248948	116	5/27/2020	< 0.3
7248949	119	5/27/2020	0.6
7248950	118A	5/27/2020	< 0.3
7248951	Staff Lounge	5/27/2020	0.5
7248952	118B	5/27/2020	0.5
7248953	Clinic	5/27/2020	0.6
7248954	Attendance Office	5/27/2020	1.2
7248955	Principal Secretary	5/27/2020	1.1
7248956	Principal Cline Ofc.	5/27/2020	1.7
7248957	Dr. Nyberg	5/27/2020	1.5
7248958	Simons	5/27/2020	2.8
7248959	Byers	5/27/2020	1.8
7248960	Wosoba	5/27/2020	1.9
7248961	Dollmeyer	5/27/2020	< 0.3
7248962	Blanchard office	5/27/2020	1.9
7248963	Counselor Main	5/27/2020	1.9
7248966	Open Office	5/27/2020	1.1
7248967	128	5/27/2020	1.8
9408101	School Resource Officer	5/27/2020	0.9
9408102	130	5/27/2020	2.8

9408104	129A	5/27/2020	1.3
9408105	129	5/27/2020	1.2
9408106	134	5/27/2020	1.9
9408107	131	5/27/2020	1.3
9408108	136	5/27/2020	1.5
9408109	138	5/27/2020	1.6
9408110	133	5/27/2020	1.2
9408111	140	5/27/2020	1.6
9408112	135	5/27/2020	0.9
9408113	137	5/27/2020	1.1
9408114	139	5/27/2020	1.4
9408115	142	5/27/2020	1.5
9408116	143	5/27/2020	1.2
9408117	144	5/27/2020	0.9
9408118	145	5/27/2020	0.8
9408119	146	5/27/2020	0.8
9408120	147	5/27/2020	1.0
9408121	148	5/27/2020	1.0
9408122	149	5/27/2020	1.0
9408123	W152	5/27/2020	2.3
9408124	W153	5/27/2020	1.3
9408125	W158	5/27/2020	1.5
9408126	W154	5/27/2020	1.0
9408127	W156	5/27/2020	1.5
9408128	W155	5/27/2020	2.1
9408129	125	5/27/2020	1.4
9408130	123	5/27/2020	1.6
9408131	121	5/27/2020	1.7
9408132	124	5/27/2020	1.9
9408134	122	5/27/2020	2.5
9408135	120	5/27/2020	1.9
9408136	Stage/Auditorium	5/27/2020	< 0.3
9408137	BLANK	5/27/2020	< 0.3
9408138	BLANK	5/27/2020	< 0.3
9408139	BLANK	5/27/2020	< 0.3

Wilson Middle School			
Kit #	Room ID	Year Tested	Results in pCi/L
10004013	2 COMPUTER LAB E	11/18/2020	2.4
10004014	2 COMPUTER LAB w	11/18/2020	2.8
10004015	2A	11/18/2020	1.5

10004016	3 SOUTH GYMNASIUM	11/18/2020	1.6
10004017	CAFETERIA 101A	11/18/2020	1.1
10004018	104	11/18/2020	2
10004019	105	11/18/2020	2.3
10004020	106	11/18/2020	1.8
10004021	107A	11/18/2020	1.6
10004022	107	11/18/2020	1.7
10004023	108	11/18/2020	2
10004024	109	11/18/2020	0.8
10004025	110	11/18/2020	0.6
10004026	111	11/18/2020	0.7
10004027	112	11/18/2020	<0.3
10004028	114	11/18/2020	0.5
10004029	115	11/18/2020	0.8
10004030	117 Gymnasium N	11/18/2020	0.9
10004031	117 Gymnasium S	11/18/2020	0.9
10004032	118	11/18/2020	0.8
10004033	119	11/18/2020	0.8
10004034	120	11/18/2020	0.7
10004035	122	11/18/2020	4.2
10004036	123	11/18/2020	1.4
10004037	124	11/18/2020	1.3
10004038	126	11/18/2020	1.9
10004039	127	11/18/2020	7.3
10004040	130 STAGE GYMNASIUM N	11/18/2020	1.1
10004041	130 STAGE GYMNASIUM S	11/18/2020	1.1
10004042	131 AUDITORIUM	11/18/2020	KIT MISSING AT PICKUP
10004043	135	11/18/2020	4.6
10004044	135B	11/18/2020	5.3
10004045	135C	11/18/2020	3.5
10004046	135D	11/18/2020	4.1
10004047	135E	11/18/2020	4
10004048	135F	11/18/2020	3.5
10004049	201	11/18/2020	0.7
10004050	220	11/18/2020	<0.3
10004051	224	11/18/2020	0.9
10004052	BLANK	11/18/2020	<0.3
10004053	BLANK	11/18/2020	<0.3
10009169	122	03/10/2021	4.6
10009170	127	03/10/2021	<0.3
10009171	135	03/10/2021	6.8

10009172	135B PRINCIPAL	03/10/2021	6.4
10009173	135D	03/10/2021	4.9
10009174	135E	03/10/2021	5.8

Wright Elementary			
Kit #	Room ID	Year Tested	Results in pCi/L
7991182	101	1/31/2018	1.6
7991183	102	1/31/2018	1.2
7991184	103	1/31/2018	2.3
7991185	104	1/31/2018	1.5
7991186	105	1/31/2018	2.2
7991187	106	1/31/2018	1.1
7991188	107	1/31/2018	0.5
7991189	108	1/31/2018	2.1
7991191	124	1/31/2018	<0.3
7991192	125	1/31/2018	<0.3
7991193	126	1/31/2018	<0.3
7991194	127	1/31/2018	<0.3
7991179	136	1/31/2018	0.6
7991172	14 SPEECH OFFICE	1/31/2018	1.5
7991170	15/16	1/31/2018	0.5
7991175	17	1/31/2018	1.6
7991176	18	1/31/2018	2.4
7991177	19	1/31/2018	0.5
7991199	BLNK WRIGHT	1/31/2018	<0.3
7991171	CAFÉ	1/31/2018	1.4
7991174	ENGINEER OFFICE	1/31/2018	1.6
7991180	GYM	1/31/2018	1.1
7991181	GYM	1/31/2018	1.2
7991198	HEALTH OFFICE	1/31/2018	0.6
7991195	IMC	1/31/2018	<0.3
7991178	MAIN OFFICE	1/31/2018	1.1
7991197	MR. ENZEN OFFICE	1/31/2018	1.2
7991190	MRS. SCHEETZ OFFICE	1/31/2018	<0.3
7991196	PRINCIPAL OFFICE	1/31/2018	1
7991173	STAGE	1/31/2018	1.1